Armature Stradali LED









Light the path to a brighter future — V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and Mean Well to provide uniform brightness and illumination on highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type 3 lenses.

KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution maximizes efficiency
- Fully operational in extreme weather
- DALI, Inventronics, Mean Well drivers

APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.









LED STREETLIGHT CLASS II, TYPE III-M LENS



The new Class II Type III-M lens from V-TAC offers a wide beam angle of $150 \times 80^{\circ}$ — especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- CRI: >70
- PF: > 0.9
- Up to 26000 lumen output available
- AC:175-265V,50HZ
- IP66 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- I50 x 80° Beam Angle






VT-80ST

SKU: 541 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
80w	10400	1 pcs





VT-120ST


SKU: 542 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
120w	15600	1 pcs





SKU: 547



VT-160ST


SKU: 543 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
160w	20800	1 pcs





SKU: 548




VT-200ST

SKU: 544 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
200w	26000	1 pcs







130 LUMENS/WATE





LED GARDEN LIGHT

CLASS II, TYPE III-M LENS



The LED Garden Light series offers our high lumen 50W & 100W upright and suspended lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Mean Well, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.

- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

- AC:176-265V,50HZ
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- Beam Angle: I50x80° | I60x100° (Suspended Light)





Garden Light

VT-55-1 SKU: 782 | 4000K DAY WHITE

 WATTS
 LUMENS
 WEIGHT
 BOX QTY.

 50w
 6500
 8.36
 1 pcs

130
Lumen/W



Garden Light

VT-105 SKU: 783 | 4000K DAY WHITE

WATTS LUMENS WEIGHT BOX QTY.

100w 13000 13.28 1 pcs

130 Lumen/W




Suspended Light

VT-115ST SKU: 545 | 4000K DAY WHITE

 WATTS
 LUMENS
 WEIGHT
 BOX QTY.

 100w
 13000
 11.16
 1 pcs

130
Lumen/W



NEW




CLASS I, TYPE III-M LENS Garden Light

VT-895 SKU: 8679 | 5700K WHITE

 WATTS
 LUMENS
 BOX QTY.

 50w
 6750
 1 pcs

130
Lumen/W





Class I, Inventronics Driver Streetlight

The LED Streetlight (Class I Type) offers a high-lumen output and highly efficient performance improved through the industry-leading Inventronics driver. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 50w to 150w.

- CRI: >70
- PF: > 0.9
- AC: 90-305V,50Hz

- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- I53x70° Beam Angle







140 Lumen/W


VT-53ST

SKU: 953 | 5700K WHITE

 WATTS
 LUMENS
 BOX QTY.

 50w
 7000
 2 pcs







140
Lumen/W


VT-103ST

SKU: 954 | 5700K WHITE

 WATTS
 LUMENS
 BOX QTY.

 100w
 14000
 2 pcs







140 Lumen/W


VT-153ST

SKU: 955 | 5700K WHITE

 WATTS
 LUMENS
 BOX QTY.

 150w
 21000
 1 pcs













Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.

- CRI: >70
- PF: > 0.9
- Up to 28000 lumen output available
- AC:200-240V
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan
- I53x70° Beam Angle






VT-102ST

SKU: 883 | 4000K DAY WHITE SKU: 884 | 5700K WHITE

100w 14000 1 pcs

INVENTRONICS DRIVER

140 Lumen/W



VT-122ST


SKU: 885 | 4000K DAY WHITE SKU: 886 | 5700K WHITE

WATTS LUMENS BOX QTY.

120w 16800 1 pcs



140 Lumen/W



VT-152ST


SKU: 887 | 4000K DAY WHITE SKU: 888 | 5700K WHITE

WATTS LUMENS BOX QTY.

150w 21000 1 pcs

INVENTRONICS DRIVER

140 Lumen/W



VT-202ST


SKU: 889 | 4000K DAY WHITE SKU: 890 | 5700K WHITE

WATTS LUMENS BOX QTY.

200w 28000 1 pcs

INVENTRONICS DRIVER

140 Lumen/W











Slim Streetlight

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Especially designed for road lighting in highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30w to 150w.

- 30,000 Life Hours
- II0° Beam Angle
- Material aluminium

- Input AC:220-240V,50Hz
- CRI >70
- PF >0.9








120 Lumen/W

VT-34ST

SKU: 956 | 4000K DAY WHITE SKU: 957 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs








VT-54ST

SKU: 958 | 4000K DAY WHITE SKU: 959 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs








VT-104ST

SKU: 960 | 4000K DAY WHITE SKU: 961 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs








VT-154ST

SKU: 962 | 4000K DAY WHITE SKU: 963 | 6400K WHITE

1	WATTS	LUMENS	BOX QTY.
	150w	18000	2 pcs











Streetlight-Grey


Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- II0° Beam Angle
- CRI: >70
- PF: > 0.9
- Up to 18000 lumen output available

- AC: 175-265V,50Hz
- IP65 Rating and strong & durable diecast Aluminium body
- 30,000-hr lifespan









VT-30ST

SKU: 525 | 4000K DAY WHITE SKU: 526 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs

120 Lumen/W







VT-50ST

SKU: 527 | 4000K DAY WHITE SKU: 528 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs









VT-100ST

SKU: 529 | 4000K DAY WHITE SKU: 530 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs








VT-150ST

SKU: 531 | 4000K DAY WHITE SKU: 532 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs







Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this series boasts of high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

- CRI: >70
- PF: > 0.9
- 30,000-hr lifespan

- AC:200-240V
- IP65 Rating and strong & durable diecast Aluminium body
- Beam Angle: | 10° | 65x135° (with lens)

















15w vt-st15

SKU: 8549 - 4000K Day White 3800157639200 SKU: 8548 - 6000K White 3800157639217

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40
Detecting Angle:	120°
Sensing Range:	3-8M

Charging Time:	6-7 Hours
IP Rating:	IP65
Material:	ABS+PC
Dimension:	413x232x58mm
Working Time:	2-36 Hours

50W Solar Panel With Streetlight

VT-ST200

SKU: 5502 - 4000K Day White 3800157652339





-ion 6.4V/27.5AH Battery
6 hrs Sunlight Charging
2-15Hours
C:3.2V
000lm
MD



IP Rating:	IP65
CRI:	>70
Beam Angle:	120°
Body Type:	Aluminium
Box Qty:	1 Pcs







21W/13.5, -crystalline silicone



NEW

① Straight pole installation



② Curved pole installation



3 Wall mounted



Including Accessories



IP65 RATING

For straight Pole





Allen Wrench

120 lm/W





Solar Streetlight 120LM/W 40W vt-st42

SKU: 5504 - 6000K White SKU: 5503 - 4000K Day White

3800157658157 3800157658140

Battery:	9.6V LiFe P04 Battery, 12000mAh
Lumens:	4800lm
No. of LED:	90pcs
Detecting Angle:	120°
Sensing Range:	8-12m
Charging Time:	8-10 Hours

Remote Control

IP Rating:	IP65
Material:	ABS+PC and Aluminium
Working Time:	Min 36 hrs and Max 120 hrs
Box Qty:	4 Pcs
Size:	289.7x73.6x706.1mm
	Material: Working Time: Box Qty:

