Campane Industriali LED





LED HIGHBAY

Our world-class highbay range includes models with drivers from Mean Well and Samsung — both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today. Available in 100W to 500W.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling







KEY FEATURES

- Professional upgraded drivers from Mean Well and Samsung
- Strong and durable diecast aluminum body
- IP65 rating
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent









USING SAMSUNG **POWER SUPPLY**







REFLECTOR HIGHBAYS

SAMSUNG Power Supply

With our latest in-branding program with Samsung, these highbays offer a high-lumen output of up to 180 lm/w and boasts of efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz

- PF: >0.9
- CRI:>80
- Die cast Aluminum




LED HIGHBAYS





MODEL WATTS LUMENS **BEAM ANGLE** BOX QTY. VT-9-113 120° 100w 16000 1 pcs

SKU: 20024 | 4000K DAY WHITE SKU: 20025 | 6000K WHITE






MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

1-10V DIMMABLE

SKU: 575 | 4000K DAY WHITE SKU: 576 | 6400K WHITE








MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE SKU: 578 | 6400K WHITE



Lumen/W




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE SKU: 584 | 6400K WHITE



Lumen/W



COVER OPTIONS



Aluminum Reflector 90° SKU-570



Aluminum Reflector **120°** SKU-571



PC Transparent Reflector 120° SKU-574



PC Dustproof Cover SKU-586













MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- PF: >0.9
- CRI:>80
- Die cast Aluminum

- SMD LED Type
- 30,000 hrs Lifespan
- AC:220-240V,50Hz



LED HIGHBAYS






 MODEL
 WATTS
 LUMENS
 BEAM ANGLE
 BOX QTY.

 VT-9-102
 100w
 18000
 120°
 2 pcs

SKU: 566 | 4000K DAY WHITE SKU: 567 | 6400K WHITE







 MODEL
 WATTS
 LUMENS
 BEAM ANGLE
 BOX QTY.


 VT-9-120
 120w
 21600
 120°
 2 pcs

SKU: 568 | 4000K DAY WHITE SKU: 569 | 6400K WHITE









COVER OPTIONS



90° SKU-570




Aluminum Reflector
120° SKU-571



PC Transparent Reflector 120° SKU-574



PC Dustproof Cover SKU-586









Optional **DAYLIGHT** SENSOR SKU - 1369





UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays are ready to impress with its high-lumen ratings and LED chips from Samsung. This range is equipped with drivers from Mean Well — a key player in the LED driver industry for a strong and efficient performance.

- Available in 100 500 watts
- 50,000 hrs Lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s

- AC:95-265V,50/60Hz
- Die cast Aluminum
- PF: >0.9
- CRI:>80








MODEL WATTS LUMENS BEAM ANGLE BOX QTY. SKU: 585 | 4000K DAY WHITE VT-9-106 100w 12000 120° 1 pcs



DALI Dimming

120
Lumen/W




MODEL WATTS LUMENS BEAM ANGLE BOX QTY. SKU: 564 | 4000K DAY WHITE SKU: 565 | 6400K WHITE





120
Lumen/W



MODEL WATTS LUMENS BEAM ANGLE BOX QTY.

VT-9-101 100w 12000 120° 4 pcs


SKU: 562 | 4000K DAY WHITE

SKU: 563 | 6400K WHITE





120
Lumen/W




MODEL WATTS LUMENS BEAM ANGLE BOX QTY. SKU: 560 | 4000K DAY WHITE VT-9-150 150w 18000 90° 2 pcs





120
Lumen/W







MODEL BOX QTY. WATTS LUMENS **BEAM ANGLE** VT-9-114 100W 12000 120° 1 pcs


SKU: 20063 | 4000K DAY WHITE SKU:20064 | 5000K WHITE





DIMMABLE






MODEL WATTS LUMENS **BEAM ANGLE** BOX QTY. VT-9-151 150w 18000 120° 2 pcs

SKU: 558 | 4000K DAY WHITE SKU: 559 | 6400K WHITE









MODEL WATTS **LUMENS BEAM ANGLE** BOX QTY. VT-9-151N 150W 21000 120° 1 pcs


SKU: 55811 | 4000K DAY WHITE SKU: 55911 | 6400K WHITE












MODEL WATTS LUMENS **BEAM ANGLE** BOX QTY. VT-9-200 200w 24000 120° 1 pcs

SKU: 580 | 4000K DAY WHITE SKU: 581 | 6400K WHITE













 MODEL
 WATTS
 LUMENS
 BEAM ANGLE
 BOX QTY.

 VT-9-200N
 200w
 28000
 120°
 1 pcs


SKU: 58011 | 4000K DAY WHITE SKU: 58111 | 6400K WHITE

SKU: 509 | 4000K DAY WHITE










MODEL WATTS LUMENS BEAM ANGLE BOX QTY.

VT-9-500 500w 60000 120° 1 pcs









140LM/W High Bay Sensor

SKU: 20123



- Rated Voltage: AC:100/277V, 50/60Hz
- Working Mode: On/Off Function, I-10V step dimming
- IP Rating: IP65
- Hold Time: 5s/30s/Imin/3min/5min/10min/20min/30min
- Stand-by Dim Level: 10%/20%/30%/50%
- Stand-by Period: 0s/10s/1min/3min/5min/10min/30min/+∞
- Detection Area: 25%/50%/75%/100%
- Detection Angle: 360° (ceiling mounting)
- Daylight Sensor: 5lux/15lux/30lux/50lux/100lux/150lux/Disable (Ambient light diffusion)
- \bullet Compatible with VT-9-151N and VT-9-200N



LED LINEAR LOW BAY

Our series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts. Available in 100w to 200w.

- AC:220-240v,50HZ
- On/off: >20,000 times
- IP54 rating
- Lifespan 30,000 hrs
- Aluminium body

- Heat and Shock Resistant.
- Low-maintenance
- Upgraded with premium-quality Samsung LEDs
- Ideal for workshops, supermarkets, warehouses, etc.
- High-lumen (120 lm/w) options available


LED LINEAR LOW BAY





MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs


SKU: 891 | 4000K DAY WHITE SKU: 892 | 6000K WHITE





MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	18000	120°	>0.9	>80	SMD	Aluminum	6 pcs


SKU: 893 | 4000K DAY WHITE SKU: 894 | 6000K WHITE





VT-9-202	000	0.4000	1000		> 0 0	CMD	Aluminum	6 pcs
MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.

SKU: 895 | 4000K DAY WHITE SKU: 896 | 6000K WHITE







LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no fl ickering.

- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

LED CANOPY LIGHTS





LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for

- Powerful led light source with a unique design
- Extensive options can replace all types of standard
- Aluminium diffuser with multiple beam angle's to
- high thermal conductivity, low luminous decay, pure
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.





UFO-High Lumen-Meanwell Driver

100W VT-9107


SKU: 5588 - 6400K White 3800157622301


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

















UFO-High Lumen-Meanwell Driver

500w vt-9500


SKU: 5607 - 4000K Day White SKU: 5608 - 6400K White 3800157625050 3800157625067


Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

















UFO-Highbay-120°

50w vt-9065-w

SKU: 5609 - 3000K Warm White SKU: 5611 - 6400K White 3800157626507 3800157626521

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs



